

LOCKMASTERS[®]

Original Door-in-a-Box SCIF STC Door



One Easy Solution to Stop Sound Waves

Self Contained High Security Door Kits Built To Your Specifications.
One Call. One Shipment. One Install.

RF Fire Rated Door-in-a-Box Solution ALSO AVAILABLE

BENEFITS

Eliminates Potential Hardware Issues

Our door packages are pre-assembled, which eliminates potential hardware issues. Our trained installers mount your specified locking device and closer body during assembly so you are assured compatibility with the door and frame.

No Need For Multiple Vendors

When you order a Door Kit from Lockmasters, you work with one door specialist for everything. No more multiple phone calls, multiple orders, multiple shipments. One Call. One Shipment. One Install.

More Efficient Installation Reduces Expenses & Downtime

One shipment contains everything you need. The fully assembled doors comes ready to set into the door opening. No need for multiple installers anymore. One shipment also means no more downtime waiting on products.

Improved Door & Locking Device Functionality

Since the doors are built to your exact security specifications and dimensions you are ensured once installed of proper door and lock function.

Industry's Best Customer Support

Let our experienced staff assist you in building a door kit that meets all your security requirements. From pre-order to post-installation, our staff is here to make your door installation as smooth as possible.

ONE WARRANTY

All components' warranties managed by Lockmasters. Lockmasters' Door & Frame offer a 5 year warranty and the LKM10K Lock Series offers a 12 month warranty after shipment.

What Does The Door Package Include?

Lockmasters' High Security Door Kits includes the door, frame, locking device, hardware and fasteners all installed per your specifications and shipped in one convenient package.

All (ODIB) Door-in-a-Box Kits Come Complete with:

Door Slabs (Sound Transmission Class – STC or STC/RF)

- 16-gauge CR steel meeting ASTM A366 specification
- Internal sound retardant core & isolator perimeter edge construction
- No lead or asbestos in core
- Fully reinforced to support mortise & surface mounted hardware
- Concealed electric power transfer (EPT) and continuous conduit raceway
- Fire labeled units available. UL 10B and UL 10C compliant (Metal)
- Adjustable Door Bottom Seal for grounding

Frame

- 14-gauge frame factory welded for use with existing walls
- 2 piece split jamb (STC/RF)
- Seals
- Adjustable Magnetic Perimeter Seals or
- Adjustable Compression Perimeter Seals
- Standard Frame Anchors – punched & dimpled
- Mineral Rockwool (Grout free)

Hardware (included)

- Closer – Grade 1, surface mounted
- Hinges – Cam-lift, tamper proof, full mortise, 500 lb rating
- Threshold – ½" high ADA compliant milled, aluminum
- Strike – based on swing of door

Locking Device (included)

- FF-L-2890C GSA approved LockOne LKM10K Lock or any lock specified.

Door Operator (Optional)

- Add our Record Door Operator (LKM8200-40) and select the ABR
- Version of the LKM10K for a completely hands-free operation.

Finish

- Primed hollow metal (HM) gray primed

**One Call.
 One Shipment.
 One Install.
 ONE WARRANTY.**



LOCKONE
LKM10K
 High Security Life Safety Exit Device

ADDED VALUE

Add a LockOne™ LKM10K Lock Series

Select a Lockmasters' LKM10K Lock Series for increased value. The LKM10K Lock Series offers the following Types:

- Push Pull Model
- Panic Bar Model
- Exit Only Model
- Lock Down Model
- Automatic Bolt Retraction (ABR)

Ideal for Both New Construction & Retrofit Projects

STC Specs and Lead Times

	STC47	STC50	STC52	STC55
Door Core	Internal Sound Retardant. Core: no lead or asbestos			
Door Thickness	1-3/4"			3"
Seals	Perimeter		Compression	Dual Compression
Door Bottom	Automatic	Super H Full Mortise Adjustable		
Hinges	NRP, Level Swing	Cam-lift, Tamper proof, Full mortise, 500 lbs		
Standard Sizes	Single Door - 3070 & 3080 Double Door - 6070 & 6080 with Astragal			Other sizes available with varying lead times
LEAD TIME**	2 - 3 Weeks			

* Seals: Adjustable Magnetic Perimeter Seals or Adjustable Compression Perimeter Seals

STC (Sound Transmission Class) TL measurements for a door are taken across a range of frequencies, which makes it difficult to compare the effectiveness of different doors. Sound transmission class (STC) ratings solve that problem by giving a single value to acoustical performance for a door.

STC Wood Specs and Lead Times

	STC49	STC50
Door Core	Internal Sound Retardant Core: no lead or asbestos	
Door Thickness	1-3/4"	2-1/4"
Seals	Compression	Compression
Door Bottom	Automatic	Super H Full Mortise Adjustable
Hinges	Cam-lift, Tamper proof, Full mortise, 500 lbs	
Standard Sizes	Single Door - 3070 & 3080 Double Door - 6070 & 6080	
LEAD TIME**	20 - 22 Weeks	

For custom sizes lead times are 20 - 22 weeks




Everything You Need In One Box

NOTE: We offer "Custom Hybrid Door Assemblies"

SCIF Acoustic Door Installation Certification Class

This two and a half day class is designed to show you how to properly install acoustical SCIF (Sensitive Compartmented Information Facility) doors. These specialty doors require precise installation to maximize security and maintain the best sound protection possible. Lockmasters' has teamed with Overly Door Manufacturing to create the Door in a Box, which has all the door hardware pre-installed on the door. Everything you need to install the door is supplied in the door kit.

Email education@lockmasters.com for information or call 866.574.8724 to enroll



Fire Rated RF Door-in-a-Box Solution AVAILABLE



LOCKMASTERS[®]
I N C O R P O R A T E D

800.654.0637

www.lockmasters.com

2101 John C. Watts Drive
Nicholasville, Kentucky 40356

12011 Guilford Road Unit 108
Annapolis Junction, Maryland 20701

7750 Dean Martin Drive Ste 402
Las Vegas, NV 89139

Company Data

SAM UEI: W7H9LMGJUFQ9

CAGE CODE: 493X5

DUNS: 605947014

Door Department Sales Team

Susan Mistry
National Sales Director - Specialty Doors
Cell 567.377.3729
susanmistry@lockmasters.com

Darren Witter
Regional Account Manager (East Coast)
Cell 859.553.8656
800.654.0637 ext 2201
darrenwitter@lockmasters.com

Eric Gemmell
Independent Rep (West Coast)
760.945.7116
mtgdoor@sbcglobal.net